

## Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <a href="http://about.jstor.org/participate-jstor/individuals/early-journal-content">http://about.jstor.org/participate-jstor/individuals/early-journal-content</a>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

## MORTALITY—Continued.

## Weekly mortality table, foreign and insular cities—Continued.

Citi <b>es.</b>	Week ended—	Estimated population.	Total deaths from all causes.		Deaths from—										
				Tuberculosis.	Plague.	Cholera.	Yellow fever.	Smallpox.	Typhus fever.	Typhoid fever.	Scarlet fever.	Diphtheria.	Measles.	Whooping cough.	
Mexico.	June 8	719,052	385	13				14	9		1		3		
Do	June 15		447	12				25	5		4	2	4		
Do	June 22		381	5			j	21	7		4	1	2	[ ]	
Monterey	July 7	100,000	58	8						:-			2	:	
Nagasaki	July 13	466, 198	329	24						1				] ]	
Nagoya	June 16	179, 257	35	7						1					
Newcastle-on-Tyne	June 15	429, 297	121							2		2	:-		
Nottingham	June 29 June 22	266, 671	60	1						1		1	1		
Do	June 22 June 29	262, 563	56	6								2	6	]	
Palermo	do	940,000	55	7								• • • •	4	1 4	
Penang.	June 1	340,000	127	11					2	4	1				
Port of Spain		102, 167	78	3						:-			1		
Rangoon	June 22 May 25	60,000	37	6		2		:-		1			1		
Do	June 1	235, 316	153		12	1	• • • •	4							
Rome	Feb. 24	293,316	182	10 23		1		1				2	:-	2	
Do	Mar. 2	564,913	200	23		• • • •				3 2	2	3	4 2	3	
Do	Mar. 9		184 171	18									2	1	
Do	Mar. 16			12						1 5	1	3 2	3	i	
Saigon	June 3	000 000	147							9		2	3	,	
St. Petersburg.	June 22	220,000	99	129	5	92		2 3	i	16		3	64	5	
Salaverry	June 12	1,962,400 1,700	860	129		• • • •	· · • ·	3	1	10	14	ن	04	٠	
San Luis Potosi	May 4		60	2	1					2					
Santiago de Cuba	June 1	82,946	19	3						1					
Do	June 15	53,614	28	3		• • • •				1					
Do	July 6		31	3		• • • • •				2					
Shanghai	June 9	500,000	159	20	• • • • •	• • • • •		3	1	Z		···i	6		
Do	June 16	500,000		26				3	1	• • • •	7	2	6		
Sheffield	June 15	455,000	147	9			• • • •	3				1	0		
Do	June 22	400,000	108 121	14						• • • • •	1	1			
Southampton	July 6	120,896	121	1			• • • •			1	1	1	1		
Valencia	June 29	235,000	87	8				···i		1		1	1	•	
Victoria	July 6	31,620	% 7	•					• • • • •	• • • • •	····				
Warsaw	May 18	821,369	250	34					• • • • •	• • • • •	4	···i	2		
Yokohama	June 24	444,039	200	34				3		1	**	1	-	-	

## MORTALITY-FOREIGN AND INSULAR-COUNTRIES AND CITIES (Untabulated).

Canada—Hamilton.—Month of June, 1912. Total number of deaths from all causes 81, including measles 4, tuberculosis 7. Cases reported: Diphtheria 12, measles 198, scarlet fever 19, tuberculosis 2.

France—Roubaix.—Month of June, 1912. Population, 122,723. Total number of deaths from all causes 140, including tuberculosis 29, typhoid fever 1.

Great Britain.—Week ended June 22, 1912.

England and Wales.—The deaths registered in 95 great towns correspond to an annual rate of 11.6 per 1,000 of the population, which is estimated at 17,639,816.

Ireland.—The deaths registered in 22 principal town districts correspond to an annual rate of 15.7 per 1,000 of the population, which is estimated at 1,157,014.

July 26, 1912 1230

Scotland.—The deaths registered in 18 principal towns correspond to an annual rate of 14.5 per 1,000 of the population, which is estimated at 2,182,400. The lowest rate was recorded at Clydebank, viz, 6.5, and the highest at Dundee, viz, 26.5, per 1,000. The total number of deaths from all causes was 605, including diphtheria 3, measles 30, scarlet fever 7.

Jamaica—Kingston.—Month of June, 1912. Population, 57,397. Total number of deaths from all causes 124, including tuberculosis 18, typhoid fever 8.

Panama.—Three weeks ended July 6, 1912. Population, 30,000. Total number of deaths from all causes not reported. Seven deaths from tuberculosis were reported.

South Africa—Mombasa.—Month of May, 1912. Population, 26,000. Total number of deaths from all causes 72, including tuberculosis 3. Cases reported: Smallpox 2.

By authority of the Secretary of the Treasury:

Rupert Blue, Surgeon General, United States Public Health and Marine-Hospital Service.

ADDITIONAL COPIES of this publication may be procured from the SUPERINTENDENT OF DOCUMENTS, Government Printing Office, Washington, D. C., at 5 cents per copy.

Subscription price, per volume - - - \$2

